



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015126/D002.R00
Report Date: 12/21/2022
ORELAP#: OR100028
Purchase Order:
Project Name: High School Retests
Project No: Banks School District

Cover Letter

Indy Safety
5010 NE Roselawn ST
Portland Oregon 97218
United States of America (USA)

Dear Elessar Connolly-Fairchild,

Enclosed please find Columbia Laboratories analytical report for samples received as order number 22-015126 on 12/09/2022 at 13:14. Should you have any questions about this report or any other matter, please do not hesitate to contact us. We are here to help you.

Thank you for allowing Columbia Laboratories to be of service to you, we appreciate your business.

Sincerely,

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 22-015126/D002.R00
Report Date: 12/21/2022
ORELAP#: OR100028
Purchase Order:
Project Name: High School Retests
Project No: Banks School District

Sample Results

Sample: 22400301-001 BF 22A Collected: 12/7/22 07:26 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0001 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead [§]	1.01	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:46	

Sample Results

Sample: 22400301-002 DW 22A Collected: 12/7/22 07:28 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0002 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead [§]	0.542	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:49	

Sample Results

Sample: 22400301-003 BF 22A Collected: 12/7/22 07:29 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0003 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead [§]	0.989	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:51	

Sample Results

Sample: 22400300-016 BF 22A Collected: 12/7/22 06:50 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0004 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead [§]	10.6	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:53	

Sample Results

Sample: 22400300-017 BF 22A Collected: 12/7/22 06:53 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0005 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead [§]	12.1	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:54	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 22-015126/D002.R00
Report Date: 12/21/2022
ORELAP#: OR100028
Purchase Order:
Project Name: High School Retests
Project No: Banks School District

Sample Results

Sample: 22400300-018 BF 22A Collected: 12/7/22 06:54 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0006 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead*	19.2	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:56	

Sample Results

Sample: 22400300-019 BF 22A Collected: 12/7/22 06:47 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0007 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead*	180	15.000	µg/l	0.2	1.00	2210609		12/14/22 11:58	

Sample Results

Sample: 22400300-033 NS 22A Collected: 12/7/22 06:40 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0008 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead*	24.9	15.000	µg/l	0.2	1.00	2210609		12/14/22 12:09	

Sample Results

Sample: 22400300-050 KF 22A Collected: 12/7/22 06:40 Temp: 16.4 °C Matrix:
 Lab ID: 22-015126-0009 Received: 12/9/22 13:14 Evidence of Cooling: Y Drinking Water

Method: EPA 200.8 in mg/l

Analyte	Result	Limit	Units	LOQ	Dil.	Batch	Start/Extract	Analyzed	Notes
Lead*	1.84	15.000	µg/l	0.2	1.00	2210609		12/14/22 12:10	

Units of Measure

µg/l = micrograms per liter

Abbreviations

LOQ Limit of quantification

* = TNI accredited analyte.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015126/D002.R00
Report Date: 12/21/2022
ORELAP#: OR100028
Purchase Order:
Project Name: High School Retests
Project No: Banks School District



Environmental Chain of Custody Record

Revision: 4.00 Document Control: CFO01
Revised: 01/18/2021 Effective: 03/16/2021

INDYSAFE 22-015126



Indy Safety

Please inform us if you know or suspect that any part of your sample may contain hazardous materials or chemicals.

Company: <u>INDY SAFETY</u> Contact: <u>ELESSAR CONNOLLY-FARREHAN</u> Address: <u>5010 NE BUSBLAW</u> <u>PORTLAND, OR 97218</u> Email: <u>ELESSAR@INDYSAFETY.COM</u> Phone: <u>(503) 481-2193</u> Fax: ()		Analysis Requested (Grid for analysis requests)		PO Number: _____ Project Number: <u>BANKS SCHOOL DISTRICT</u> Project Name: <u>HIGH SCHOOL RETESTS</u> Custom Reporting: _____ <input type="checkbox"/> Report to State: _____ Turn-around time: <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Other, Due: _____ Rush: <input type="checkbox"/> 4 day <input type="checkbox"/> 3 day <input type="checkbox"/> 2 day <input type="checkbox"/> Next day *Ask for availability. Samples received after 3pm are considered as received the following business day.	
Billing (if different): _____		Preservative code: Verification of type used? _____		Sampled by: <u>ELESSAR CONNOLLY-FARREHAN</u>	
Lab ID	Field / Sample ID	Date / Time	Matrix	Comments	
	<u>22400300-001 BF 22A</u>	<u>12-7-22 726</u>		<u>Run 'B' sample if 'A' is over limit. 15 PPM. The!</u> <u>8414 - ALL</u>	
	<u>22400300-002 DW 22A</u>	<u>728</u>			
	<u>22400300-003 BF 22A</u>	<u>729</u>			
	<u>22400300-016 BF 22A</u>	<u>650</u>			
	<u>22400300-016 BF 22B</u>	<u>650</u>			
	<u>22400300-017 BF 22A</u>	<u>653</u>			
	<u>22400300-017 BF 22B</u>	<u>653</u>			
	<u>22400300-018 BF 22A</u>	<u>654</u>			
	<u>22400300-018 BF 22B</u>	<u>654</u>			
	<u>22400300-019 BF 22A</u>	<u>647</u>			
Relinquished By:	Date	Time	Received By:	Date	Time
<u>E Lessar Connolly-Farrehan</u>	<u>12-9-22</u>	<u>1P</u>	<u>AC</u>	<u>12-9</u>	<u>13:14</u>
Lab Use Only:			<input type="checkbox"/> Shipped Via: _____ or <input type="checkbox"/> Client drop off Evidence of cooling: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No - Temp (°C): <u>16.7</u> If temp out, proceed?: <input type="checkbox"/> yes <input type="checkbox"/> No _____ <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> CC <input type="checkbox"/> Net: _____		

Samples submitted to CL with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452
Info@columbialaboratories.com

Page 1 of 2
www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015126/D002.R00
Report Date: 12/21/2022
ORELAP#: OR100028
Purchase Order:
Project Name: High School Retests
Project No: Banks School District



Environmental Chain of Custody Record

Revision: 4.00 Document Control: CF001
Revised: 01/18/2021 Effective: 03/16/2021

Please inform us if you know or suspect that any part of your sample may contain hazardous materials or chemicals.

Company: <u>INDY SAFETY</u> Contact: <u>ELESSAR CONNOLLY-FAIRCHILD</u> Address: <u>5010 NE BUSBY AVE</u> <u>PORTLAND, OR 97218</u> Email: <u>ELESSAR@INDYSAFETY.COM</u> Phone: <u>(503) 481-2193</u> Fax: ()		Analysis Requested (Grid for analysis requested)		PO Number: _____ Project Number: <u>BANKS SCHOOL DISTRICT</u> Project Name: <u>HIGH SCHOOL RETESTS</u> Custom Reporting: _____ <input type="checkbox"/> Report to State: _____ Turn-around time*: <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Other, Due: _____ Rush: <input type="checkbox"/> 4 day <input type="checkbox"/> 3 day <input type="checkbox"/> 2 day <input type="checkbox"/> Next day *Ask for availability. Samples received after 3pm are considered as received the following business day.		
Billing (if different): _____		Preservative code: Verification of type used: _____		Sampled by: <u>ELESSAR CONNOLLY-FAIRCHILD</u>		
Lab ID	Field / Sample ID	Date/Time	Matrix	Comments		
	<u>22400300-019 BF 22B</u>	<u>12/22 647</u>		RUN 'B' SAMPLE ONLY IF 'A' SAMPLE IS OVER SP10 LIMIT. TAX! 8414-ALL		
	<u>22400300-033 NS 22A</u>	<u>640</u>				
	<u>22400300-033 NS 22B</u>	<u>640</u>				
	<u>22400300-050 KF 22A</u>	<u>659</u>				
	<u>22400300-050 KF 22B</u>	<u>659</u>				
	22400000-22A					
	22400000-22A					
	22400000-22A					
	22400000-22A					
	22400000-22A					
Relinquished By:	Date	Time	Received By:	Date	Time	Lab Use Only
<u>E Lessar Connolly-Fairchild</u>	<u>12/22</u>	<u>1P</u>				<input type="checkbox"/> Shipped Via: _____ or <input type="checkbox"/> Client drop off Evidence of cooling: <input type="checkbox"/> yes <input type="checkbox"/> No - Temp (°C): _____ If temp out, proceed?: <input type="checkbox"/> yes <input type="checkbox"/> No _____ <input type="checkbox"/> Cash <input type="checkbox"/> Check <input type="checkbox"/> CC <input type="checkbox"/> Net: _____

Samples submitted to CL with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452
Info@columbiaboratories.com

Page 22 of _____
www.columbiaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-015126/D002.R00
Report Date: 12/21/2022
ORELAP#: OR100028
Purchase Order:
Project Name: High School Retests
Project No: Banks School District

Case Narrative

No Case Narrative notes to report.